

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	237166	H02k\$/\$.ipc.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 11:03
L2	1273	l1 and (mold or molded or molding or mould or moulded or moulding).ab. and (toth or pole).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 11:05
L3	40	(molded or molding) near10 (pole shoe or tooth tip)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/08/28 12:08
L5	1	("3869629").PN.	US-PGPUB; USPAT	OR	OFF	2007/08/28 12:09
L6	14	("3153161" "3202851" "3206629").PN. OR ("3869629").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/08/28 12:11
L7	9	"5219276"	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/08/28 12:12
L8	1	("20030193260").PN.	US-PGPUB; USPAT	OR	OFF	2007/08/28 12:14
L9	1	("20040145267").PN.	US-PGPUB; USPAT	OR	OFF	2007/08/28 12:15
L10	5	((("4719377") or ("5990588") or ("6202285") or ("5821652") or ("4808872"))).PN.	US-PGPUB; USPAT	OR	OFF	2007/08/28 12:58
L11	10906	(h02k001/14 or h02k001/16 or h02k001/18).ipc.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 12:59
L12	963	l11 and (mold or mould or molded or moulded or molding or moulding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 14:05

EAST Search History

L13	1	("5089730").PN.	US-PGPUB; USPAT	OR	OFF	2007/08/28 14:05
L14	21	("1504551" "3500092" "3814963" "4336470" "4739203").PN. OR ("5089730"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/08/28 14:24
L15	1	("5051637").PN.	US-PGPUB; USPAT	OR	OFF	2007/08/28 14:25
L16	0	("US5418069").PN.	US-PGPUB; USPAT	OR	OFF	2007/08/28 14:25
L17	1	("5418069").PN.	US-PGPUB; USPAT	OR	OFF	2007/08/28 15:10
L18	1	("4197146").PN.	US-PGPUB; USPAT	OR	OFF	2007/08/28 15:10
S1	1618	(molded or molding) with (tooth or pole or teeth) near5 (tip or end)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 11:03
S2	434	(molded or molding) with (tooth or pole or teeth) near5 (tip or end) and (rotor or stator or armature or yoke)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 07:08
S3	493	(molded or molding) near25 (tooth or pole or teeth) near5 (tip or end) and (rotor or stator or armature or yoke)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 07:08
S4	257	(molded or molding) near10 (tooth or pole or teeth) near5 (tip or end) and (rotor or stator or armature or yoke)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 07:08

EAST Search History

S5	27	("3737693" "4182026" "4454554" "4695419" "4712035" "4720646" "4769900" "4818919" "4879486" "4891567" "4958099" "5057732" "5073735" "5264816" "5275141" "5442247" "5508578" "5523634" "5541461" "5570503" "5691584").PN. OR ("5852335"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/08/28 07:47
S7	69	(molded or molding) near10 (pole shoe or tooth tip)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 09:02